


## Product Datasheet

# F(ab')<sub>2</sub> MOUSE IgG F(ab')<sub>2</sub> (GOAT) Antibody Peroxidase Conjugated Min X Bv Hs Hu Rb Rt & Sh Serum Proteins GRP10041

<b>Description</b>	F(ab') <sub>2</sub> Anti-MOUSE IgG F(ab') <sub>2</sub> (GOAT) Antibody Peroxidase Conjugated Min X Bv Hs Hu Rb Rt & Sh Serum Proteins
<b>Species/Host</b>	Goat
<b>Reactivity</b>	Mouse
<b>Conjugation</b>	HRP
<b>Tested Applications</b>	ELISA, IHC-P, WB
<b>Form/Appearance</b>	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
<b>Concentration</b>	1.0 mg/mL
<b>Note</b>	For research use only.
<b>Isotype</b>	IgG F(ab') <sub>2</sub>
<b>Clonality</b>	Polyclonal
<b>Source</b>	F(ab') <sub>2</sub> Anti-Mouse IgG F(ab') <sub>2</sub> fragment was produced by repeated immunization with Mouse IgG F(ab') <sub>2</sub> fragment in goat.
<b>Dilution Range</b>	ELISA: 1:130,000, Immunochemistry: 1:500 - 1:2,500, Western Blot: 1:2,000 to 1:20,000
<b>Application Notes</b>	F(ab') <sub>2</sub> Anti-Mouse IgG F(ab') <sub>2</sub> fragment is suitable for use in immunoelectrophoresis, western-blot, competitive western-blot, ELISA and competitive ELISA assays. Specific conditions for reactivity and signal detection should be optimized by the end user.



ELISA Results of F(ab')<sub>2</sub> Goat Anti-Mouse IgG F(ab')<sub>2</sub> Antibody Peroxidase Conjugated MX6