


## Product Datasheet

# F(ab')<sub>2</sub> RABBIT IgG F(c) (GOAT) Antibody Fluorescein Conjugated GRP10092

<b>Description</b>	F(ab') <sub>2</sub> Anti-RABBIT IgG F(c) (GOAT) Antibody Fluorescein Conjugated
<b>Species/Host</b>	Goat
<b>Conjugation</b>	FITC
<b>Tested Applications</b>	FC, IF
<b>Form/Appearance</b>	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
<b>Concentration</b>	1.0 mg/mL
<b>Note</b>	For research use only.
<b>Isotype</b>	IgG F(ab') <sub>2</sub>
<b>Clonality</b>	Polyclonal
<b>Source</b>	Rabbit IgG F(c) fragment
<b>Dilution Range</b>	Flow Cytometry: 1:500-1:2,500, Fluorochrome: 4.46, IF Microscopy: 1:500 - 1:2,500
<b>Application Notes</b>	Suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity.



Dot Blot of F(ab')<sub>2</sub> Anti-Rabbit IgG F(c) Antibody Fluorescein Conjugate