

**German Research Products - GRP GmbH** 

In der Stockwiese 26

D-85410 Haag/Amper, Germany

Email: info@grp-ak.de Phone: +49 (0)8167 6335

## **Product Datasheet**

## Mouse anti-Giardia lamblia, cysts, Monoclonal Antibody, FITC GRP1228

Species/Host Mouse

**Conjugation** FITC

Tested Applications ELISA, IF

**Form/Appearance** 0.01 M phosphate buffered saline, pH 7.2. This product contains

no stabilizing proteins. THESE PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES NA NA 1943 NA NA NA NA III. Fluorescein Conjugates Product No.'s These MONOTOPE™ products consist of purified monoclonal antibody conjugated with high purity isomer I of fluorescein isothiocyanate. Care is taken to ensure complete removal of any free fluorescein from the final product. The final preparation is formulated to an antibody concentration of of 100 µg/ml in 0.01 M phosphate buffered saline, pH 7.2 containing 0.1% sodium azide plus bovine

serum albumin at 10 mg/ml. THESE PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC

no stabilizing proteins

Concentration 100 ug/1 ml

**Preservatives** 0.1% sodium azide

Storage 2-8°C

**Note** For research use only.

**Isotype** IgG3

**Clonality** Monoclonal

**Purity** Affinity purified

**Application Notes** These products consist of purified monoclonal antibody conjugated with high

purity isomer I of fluorescein isothiocyanate. Care is taken to ensure complete removal of any free fluorescein from the final product. The final preparation is formulated to an antibody concentration of of 100  $\mu g/ml$  in 0.01 M phosphate buffered saline, pH 7.2 containing 0.1% sodium azide plus bovine serum albumin at 10 mg/ml. Each vial contains 1.0 ml. This product should be stored at 2-8°C until ready for use. Avoid repeated freeze-thawing by storing multiple aliquots at -20°C. Applications for these products include direct FA staining of target antigen in a permissive tissue culture system. Working strength must be determined by the user for each specific application but a starting range of 1:5 - 1:20 is recommended. Acetone fixation of the antigen source is recommended

prior to staining. Best ELISA pairs (capture-conjugate): GRP1229-GRP1230, GRP1227-GRP1230, GRP1227-GRP1225, GRPGRP792-GRP1230

German Research Products - GRP GmbH In der Stockwiese 26 D-85410 Haag/Amper, Germany Email: info@grp-ak.de | Phone: +49 (0)8167 6335