

## **Product Datasheet**

## Vimentin antibody GRP13

Description	Along with the microfilaments (actins) and microtubules (tubulins), the intermediate filaments represent a third class of well-characterized cytoskeletal elements. The subunits display a tissue-specific pattern of expression. Desmin (MIM 125660) is the subunit specific for muscle and vimentin the subunit specific for mesenchymal tissue.[supplied by OMIM]	
Species/Host	Rabbit	
Reactivity	Human, Mouse, Rat	The second
Conjugation	Unconjugated	and the second
Tested Applications	ELISA, ICC, IF, IHC-Fr, IHC-P, IP, WB	Vimentin antibody detects
Immunogen	Recombinant protein encompassing a sequence within the cente region of human Vimentin. The exact sequence is proprietary.	Vimentin antibody detects Vimentin protein at cell membrane and cytoplasm in rat testis by
Form/Appearance	Liquid: 1XPBS, 20% Glycerol (pH7). 0.025% ProClin 300 was added as a preservative.	immunohistochemical analysis. Sample: Paraffin-embedded rat
Concentration	1.39 mg/ml	testis. Vimentin antibody (GRP465)
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.	diluted at 1:500.
Note	For research use only.	
lsotype	lgG	
Clonality	Polyclonal	Vimentin antibody detects
Purity	Purified by antigen-affinity chromatography.	Vimentin protein at cytoplasm
Uniprot ID	P08670	in human lung adenocarcinoma by immunohistochemical
Entrez	7431	analysis. Sample: Paraffin-embedded human
Dilution Range	WB: 1:5000-1:50000,ICC: 1:100-1:1000,IHC-P: 1:100-1:1000,IP: 1:100-1:500	lung adenocarcinoma. Vimentin antibody (GRP465) diluted at

1:500.