

## Product Datasheet

### Goat anti-Rat IgG (H&L), F(ab)'2 fragment, Affinity purified, Unconjugated, min. cross-reactivity to human, mouse IgG GRP12428

<b>Species/Host</b>	Goat
<b>Form/Appearance</b>	Liquid
<b>Storage</b>	Store at 2-8°C.
<b>Note</b>	For research use only.
<b>Clonality</b>	Polyclonal
<b>Purity</b>	Affinity purified IgG, F(ab)'2 fragment
<b>Dilution Range</b>	The optimal working dilution should be determined by the investigator.
<b>Application Notes</b>	<p>Additional Information: This antibody reacts with the heavy chains on rat IgG and with the light chains on all rat immunoglobulins based on immunoelectrophoresis. Minimum cross-reactivity is observed to non-immunoglobulin rat serum proteins or IgG from human or mouse based on immunoelectrophoresis. Antibody is supplied in 10 mM sodium phosphate, 150 mM sodium chloride, pH 7, 0.05 % (w/v) sodium azide as preservative.</p> <p>Background: Goat anti-rat IgG (H&amp;L), F(ab)'2 fragment, affinity purified, is a secondary antibody which binds to rat IgGs in immunological assays. Antibodies are adsorbed against human, mouse IgG. Antibody purity is &gt;90% based on SDS-PAGE. Antibody solution may contain small amounts of intact IgG.</p>