

Product Datasheet

Goat anti-Human IgA + IgG + IgM, F(ab)'2 fragment, TRITC conjugated GRP12496

| | |
|--------------------------|---|
| Species/Host | Goat |
| Form/Appearance | Liquid |
| Storage | Store at 2-8°C. Shelf life of this product is one year from date of receipt. |
| Note | For research use only. |
| Clonality | Polyclonal |
| Purity | Affinity purified IgG, F(ab)'2 fragment |
| Dilution Range | The optimal working dilution should be determined by the investigator. |
| Application Notes | <p>Additional Information: This antibody reacts with the heavy and light chains on human IgG, IgA and IgM based on immunoelectrophoresis. No reactivity is observed to non-immunoglobulin human serum proteins based on immunoelectrophoresis. Background: Goat anti-human IgA + IgG + IgM, Rhodamine (TRITC-tetramethylrhodamine-5-isothiocyanate) conjugated is a F(ab)'2 fragment of a secondary antibody which binds to human IgA and IgG and IgM in immunological assays. TRITC has $\lambda_{max} = 550 \text{ nm}$, $\lambda_{em} = 570 \text{ nm}$. Antibody purity is > 90% based on SDS-PAGE. Antibody solution may contain small amounts of intact IgG.</p> |