

## Product Datasheet

### Goat anti-Human IgA + IgG + IgM, F(ab)'2 fragment, TRITC conjugated GRP12496

<b>Species/Host</b>	Goat
<b>Form/Appearance</b>	Liquid
<b>Storage</b>	Store at 2-8°C. Shelf life of this product is one year from date of receipt.
<b>Note</b>	For research use only.
<b>Clonality</b>	Polyclonal
<b>Purity</b>	Affinity purified IgG, F(ab)'2 fragment
<b>Dilution Range</b>	The optimal working dilution should be determined by the investigator.
<b>Application Notes</b>	Additional Information: This antibody reacts with the heavy and light chains on human IgG, IgA and IgM based on immunoelectrophoresis. No reactivity is observed to non-immunoglobulin human serum proteins based on immunoelectrophoresis. Background: Goat anti-human IgA + IgG + IgM, Rhodamine (TRITC-tetramethylrhodamine-5-isothiocyanate) conjugated is a F(ab)'2 fragment of a secondary antibody which binds to human IgA and IgG and IgM in immunological assays. TRITC has $A_{max} = 550 \text{ nm}$ , $E_{max} = 570 \text{ nm}$ . Antibody purity is > 90% based on SDS-PAGE. Antibody solution may contain small amounts of intact IgG.