

**German Research Products - GRP GmbH** 

In der Stockwiese 26

D-85410 Haag/Amper, Germany

Email: info@grp-ak.de Phone: +49 (0)8167 6335

## **Product Datasheet**

## Goat anti-Llama IgG (H&L), FITC conjugated GRP12512

Species/Host Goat

Immunogen Purified llama IgG (H&L) AAQ19986

Form/Appearance Liquid

**Storage** Store at 2-8°C. Shelf life is 1 year from date of receipt. Prepare

working dilution prior to use and then discard.

**Note** For research use only.

**Clonality** Polyclonal

**Purity** Affinity purified IgG

**Dilution Range** The optimal working dilution should be determined by the

investigator. Suggested starting dilution(s): 1:20-1:2000 for

most applications

**Application Notes** Additional Information: Purity of this preparation is > 95% based on SDS-PAGE.

Antibody concentration is 1.0 mg/ml (E 1% at 280 nm = 13.0). Antibody is supplied in 10 mM sodium phosphate, 0.15 M sodium chloride, pH 7.2.1 % (w/v) B, Protease/lgG free. Contains 0.05% (w/v) sodium azide as preservative of bacterial growth.Based on immunoelectrophoresis, this antibody reacts with:heavy chains on llama lgG, light chains on all llama immunoglobulins.

Based on immunoelectrophoresis, no reactivity is observed to:

non-immunoglobulin llama serum proteins. This antibody will react with VHH of llama lgG's. Background: Goat anti-llama lgG (H&L), FITC conjugated, is a secondary antibody conjugated to FITC, which binds to llama lgG (H&L) in immunological assays. Antibody is affinity purified using solid phase Llama lgG (H&L). Fluorescein-5-isothiocyanate (FITC) has Amax = 494 nm; Emax = 518 nm