

Product Datasheet

Goat anti-Llama IgG (H&L), FITC conjugated GRP12512

Species/Host	Goat
Immunogen	Purified Ilama IgG (H&L) AAQ19986
Form/Appearance	Liquid
Storage	Store at 2-8°C. Shelf life is 1 year from date of receipt. Prepare working dilution prior to use and then discard.
Note	For research use only.
Clonality	Polyclonal
Purity	Affinity purified IgG
Dilution Range	The optimal working dilution should be determined by the investigator. Suggested starting dilution(s): 1 : 20-1 : 2000 for most applications
Application Notes	Additional Information: Purity of this preparation is > 95% based on SDS-PAGE. Antibody concentration is 1.0 mg/ml (E 1% at 280 nm = 13.0). Antibody is supplied in 10 mM sodium phosphate, 0.15 M sodium chloride, pH 7.2.1 % (w/v) B, Protease/IgG free. Contains 0.05% (w/v) sodium azide as preservative of bacterial growth.Based on immunoelectrophoresis, this antibody reacts with:heavy chains on Ilama IgG, light chains on all Ilama immunoglobulins. Based on immunoelectrophoresis, no reactivity is observed to: non-immunoglobulin Ilama serum proteins. This antibody will react with VHH of Ilama IgG's. Background: Goat anti-Ilama IgG (H&L), FITC conjugated, is a secondary antibody conjugated to FITC, which binds to Ilama IgG (H&L) in immunological assays. Antibody is affinity purified using solid phase Llama IgG (H&L). Fluorescein-5-isothiocyanate (FITC) has Amax = 494 nm; Emax = 518 nm