

Product Datasheet

Goat anti-Rabbit IgG (H&L), TRITC conjugated, min. cross-reactivity to human, mouse, rat serum GRP12537

Species/Host	Goat
Immunogen	Purified rabbit IgG (H&L)
Form/Appearance	Liquid
Storage	Store at 2-8°C. Shelf life is 1 year from date of receipt. Prepare working dilution prior to use and then discard.
Note	For research use only.
Clonality	Polyclonal
Purity	Affinity purified IgG
Dilution Range	The optimal working dilution should be determined by the investigator. Suggested starting dilution(s): 1 : 20-1 : 2000 for most applications
Application Notes	<p>Additional Information: Purity of this preparation is > 95% based on SDS-PAGE. Antibody concentration is 1.0 mg/ml (E 1% at 280 nm = 13.0). Antibody is supplied in 10 mM sodium phosphate, 0.15 M sodium chloride, pH 7.2.1 % (w/v) B, Protease/IgG free. Contains 0.05% (w/v) sodium azide as preservative of bacterial growth. Based on immunoelectrophoresis, this antibody reacts with: heavy chains on rabbit IgG, light chains on all rabbit immunoglobulins. Based on immunoelectrophoresis, no reactivity is observed to: non-immunoglobulin rabbit serum proteins, serum proteins from human, mouse or rat. Background: Goat anti-rabbit IgG (H&L) is a secondary antibody conjugated to TRITC, which binds to rabbit IgG (H&L) in immunological assays. Antibody is affinity purified using solid phase rabbit IgG (H&L). Tetramethylrhodamine-5-isothiocyanate (TRITC) has Amax = 550 nm; Emax = 570 nm</p>