

Product Datasheet

Rabbit anti-Goat IgG (H&L), F(ab)'2 fragment, Affinity purified, Unconjugated GRP12743

Species/Host	Rabbit
Form/Appearance	Liquid
Storage	Store at 2-8°C.
Note	For research use only.
Clonality	Polyclonal
Purity	Affinity purified rabbit IgG
Dilution Range	The optimal working dilution should be determined by the investigator.
Application Notes	<p>Additional Information: This antibody reacts with the heavy chains on goat IgG and with the light chains on all goat immunoglobulins based on immunoelectrophoresis. Minimum cross-reactivity is observed to non-immunoglobulin goat serum proteins based on immunoelectrophoresis. Antibody is supplied in 10 mM sodium phosphate, 150 mM sodium chloride, pH 7, 0.05 % (w/v) sodium azide as preservative. BSA and milk have to be replaced by other blocking reagents, like donkey serum or commercial formulations which are free from bovine IgG. Background: Rabbit anti-goat IgG (H&L) F(ab)'2 fragment is an unconjugated secondary antibody which is reacting with goat IgG (H&L) F(ab)'2 in immunological assays and is affinity purified. Antibody purity is > 90% based on SDS-PAGE. Antibody solution may contain small amounts of intact IgG.</p>