

## Product Datasheet

### Goat anti-Mouse IgG (H&L), F(ab)'2 fragment, Affinity purified, Unconjugated, min. cross-reactivity to human IgG/serum GRP12744

|                   |  |
|-------------------|--|
| Species/Host      | Goat   |
| Form/Appearance   | Liquid   |
| Storage           | Store at 2-8°C.  |
| Note              | For research use only.   |
| Clonality         | Polyclonal   |
| Purity            | Affinity purified goat IgG, F(ab)'2 fragment   |
| Dilution Range    | The optimal working dilution should be determined by the investigator.   |
| Application Notes | <p>Additional Information: This antibody reacts with the heavy chains on mouse IgG and with the light chains on all mouse immunoglobulins based on immunoelectrophoresis. Minimum cross-reactivity is observed to non-immunoglobulin mouse serum proteins based on immunoelectrophoresis. Antibody is supplied in 10 mM sodium phosphate, 150 mM sodium chloride, pH 7, 0.05 % (w/v) sodium azide as preservative.</p> <p>Background: Goat anti-mouse IgG (H&amp;L), F(ab)'2 fragment, is an unconjugated secondary antibody which is reacting with mouse IgG (H&amp;L), F(ab)'2 fragment. Antibody is affinity purified. Min. cross-reactivity to human IgG/serum. Antibody purity is &gt;90% based on SDS-PAGE. Antibody solution may contain small amounts of intact IgG.</p> |