

Product Datasheet

Goat anti-Rabbit IgG (H&L), F(ab)'2 fragment, Affinity purified, Unconjugated, min. cross-reactivity to bovine, human, mouse IgG/serum GRP12757

Species/Host	Goat
Form/Appearance	Liquid
Storage	Store at 2-8°C.
Note	For research use only.
Clonality	Polyclonal
Purity	Affinity purified goat IgG, F(ab)'2 fragment
Dilution Range	The optimal working dilution should be determined by the investigator.
Application Notes	<p>Additional Information: This antibody reacts with the heavy chains on rabbit IgG and with the light chains on all rabbit immunoglobulins based on immunoelectrophoresis. Minimum cross-reactivity is observed to non-immunoglobulin rabbit serum proteins or to IgG from bovine, goat, human, mouse or rat based on immunoelectrophoresis. Antibody is supplied in 10 mM sodium phosphate, 150 mM sodium chloride, pH 7, 0.05 % (w/v) sodium azide as preservative. Background: Goat anti-rabbit IgG (H&L), F(ab)'2 fragment is an unconjugated secondary antibody which binds to rabbit IgG (H&L), F(ab)'2 fragment in immunological assays. The antibody is affinity purified, min. cross-reactivity to bovine, human, mouse IgG/serum. Antibody purity is >90% based on SDS-PAGE. Antibody solution may contain small amounts of intact IgG.</p>