

## Product Datasheet

### Rabbit anti-Goat IgG Fc, Affinity purified, Unconjugated GRP12764

|                          |   |
|--------------------------|---|
| <b>Species/Host</b>      | Rabbit  |
| <b>Form/Appearance</b>   | Liquid  |
| <b>Storage</b>           | Store at 2-8°C.   |
| <b>Note</b>              | For research use only.  |
| <b>Clonality</b>         | Polyclonal  |
| <b>Purity</b>            | Affinity purified rabbit IgG  |
| <b>Dilution Range</b>    | The optimal working dilution should be determined by the investigator.  |
| <b>Application Notes</b> | <p>Additional Information: This antibody reacts with the heavy chains on goat IgG based on immunoelectrophoresis. Minimum cross-reactivity is observed to the light chains or to non- immunoglobulin goat serum proteins based on immunoelectrophoresis. Antibody is supplied in 10 mM sodium phosphate, 150 mM sodium chloride, pH 7, 0.05 % (w/v) sodium azide as preservative. BSA and milk have to be replaced by other blocking reagents, like donkey serum or commercial formulations which are free from bovine IgG. Background: Rabbit anti-goat IgG Fc is a secondary antibody that binds to goat IgG Fc. Antibodies are affinity purified using solid phase goat IgG.</p> |