

## Product Datasheet

### Goat anti-Cat IgG (H&L) GRP12995

<b>Species/Host</b>	Goat
<b>Reactivity</b>	Cat
<b>Immunogen</b>	Purified Cat IgG, whole molecule
<b>Form/Appearance</b>	Liquid
<b>Storage</b>	Store at 2-8 °C.
<b>Note</b>	For research use only.
<b>Clonality</b>	Polyclonal
<b>Purity</b>	Affinity purified
<b>Dilution Range</b>	The optimal working dilution should be determined by the investigator.
<b>Application Notes</b>	<p>Additional Information: Antibody purity is &gt; 95% based on SDS-PAGE. Affinity purified using solid phase Cat IgG (H&amp;L). Antibody is supplied in 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2. 0.05% (w/v) Sodium Azide is added as a preservative. Based on IEP, this antibody reacts with: • heavy (γ) chains on cat IgG • light chains on all cat immunoglobulins. Based on IEP, no reactivity is observed to: • non-immunoglobulin cat serum immunoglobulins. Background: Goat anti-Cat IgG (H&amp;L) is a secondary antibody which binds to Cat IgG (H&amp;L) in immunological assays.</p>