

## Product Datasheet

### Goat anti-Hamster IgG (H&L), HRP conjugated GRP13016

<b>Species/Host</b>	Goat
<b>Reactivity</b>	Hamster
<b>Immunogen</b>	Purified Syrian Hamster IgG, whole Molecule.
<b>Form/Appearance</b>	Lyophilized
<b>Storage</b>	Store freeze-dried powder at 2-8 °C.
<b>Note</b>	For research use only.
<b>Clonality</b>	Polyclonal
<b>Purity</b>	Affinity purified
<b>Dilution Range</b>	The optimal working dilution should be determined by the investigator.
<b>Application Notes</b>	<p>Additional Information: Antibody purity is &gt;95% based on HPLC. Affinity purified using solid phase Hamster IgG. Antibody is supplied in 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free. 0.1% (v/v) Kathon CG is added as a preservative. Heavy (Gamma) chains on Hamster IgG and light chains on all Hamster Immunoglobulins. No reactivity to non-immunoglobulin hamster serum proteins. Background: Goat anti-Hamster IgG (H&amp;L) is a secondary antibody conjugated to HRP, which binds to hamster IgG (H&amp;L) in immunological assays. Reconstitution: For reconstitution add 1.1 ml of sterile water. Let it stand 30 minutes at room temperature to dissolve. Prepare fresh working dilutions daily.</p>