

## Product Datasheet

### Goat anti-Mouse IgG (H&L), F(ab)'2 fragment, ALP conjugated, min. cross-reactivity to bovine, goat, human, rabbit, or rat IgG GRP13073

|                     |  |
|---------------------|--|
| Species/Host        | Goat   |
| Reactivity          | Mouse  |
| Tested Applications | FC, IL   |
| Immunogen           | Purified Mouse IgG, whole molecule   |
| Form/Appearance     | Liquid   |
| Storage             | Store at 2-8 °C.   |
| Note                | For research use only.   |
| Clonality           | Polyclonal   |
| Purity              | Affinity purified  |
| Dilution Range      | 1 : 20-1 : 2000 (Flow cyt), (IL)   |
| Application Notes   | <p>Additional Information: Antibody purity is &gt; 90% based on SDS-PAGE Small amounts of intact IgG may be present. Affinity purified using solid phase Mouse IgG .Antibody is supplied in 30 mM Triethanolamine, pH 7.2, 5 mM Magnesium Chloride, 0.1 mM Zinc Chloride, 1 % (w/v) BSA, Protease/IgG free. Based on IEP, this antibody reacts with: • heavy (γ) chains on mouse IgG • light chains on all mouse immunoglobulins .Based on IEP, no reactivity is observed to: • non-immunoglobulin human serum immunoglobulins • bovine, goat, human, rabbit or rat IgG . Background: Modify item, properties / Goat anti-Mouse IgG (H&amp;L), F(ab)'2 fragment, ALP conjugated, min. cross-reactivity to bovine, goat, human, rabbit, or rat IgG is a secondary antibody conjugated to ALP, which binds to mouse IgG (H&amp;L), F(ab)'2 Fragment in immunological assays.</p> |