

Product Datasheet

Goat anti-Rabbit IgG (H&L), F(ab)'2 Fragment, min. cross-reactivity to non-immunoglobulin rabbit serum proteins and human serum proteins GRP13133

Species/Host	Goat
Reactivity	Rabbit
Immunogen	Purified Rabbit IgG, whole molecule
Form/Appearance	Liquid
Storage	Store at 2-8 °C.
Note	For research use only.
Clonality	Polyclonal
Purity	Affinity purified
Dilution Range	The optimal working dilution should be determined by the investigator.
Application Notes	<p>Additional Information: Antibody purity is > 90% based on SDS-PAGE .Affinity purified using solid phase Rabbit IgG .Antibody is supplied in 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2. 0.05% (w/v) Sodium Azide is added as a preservative.Based on IEP, this antibody reacts with: • heavy (γ) chains on rabbit IgG • light chains on all rabbit immunoglobulins .Based on IEP, no reactivity is observed to: • non-immunoglobulin rabbit serum proteins • serum proteins from human. Background: Goat anti-Rabbit IgG (H&L), F(ab)'2 Fragment, min. cross-reactivity to non-immunoglobulin rabbit serum proteins and human serum proteins is a secondary antibody, which binds to rabbit IgG (H&L), F(ab)'2 Fragment in immunological assays.</p>