

## Product Datasheet

### CD177 Polyclonal Antibody GRP406

<b>Description</b>	Cd177 (NP1), a glycosyl phosphatidylinositol (GPI) linked N glycosylated cell surface glycoprotein, was first described in a case of neonatal alloimmune neutropenia and analyses showed cell surface expression of a 60 kDa protein, 14 kDa greater than the predicted size, probably due to the presence of 3 potential N glycosylation sites. Immunohistochemistry demonstrated expression in bone marrow early erythroblasts, megakaryocytes, promyelocytes, and myelocytes. The neutrophil NB1 antigen (CD177) is expressed by 97% of the caucasian population. against NB1 can be involved in neonatal alloimmune neutropenia (NAN).
<b>Species/Host</b>	Rabbit
<b>Reactivity</b>	Human, Mouse, Rat
<b>Conjugation</b>	Unconjugated
<b>Tested Applications</b>	IHC-P, WB
<b>Immunogen</b>	KLH conjugated synthetic peptide derived from rat CD177 (public_immunogen_range: 540-590/818)
<b>Form/Appearance</b>	Aqueous buffered solution containing 1% BSA, 50% glycerol and 0.09% sodium azide.
<b>Concentration</b>	1ug/ul
<b>Storage</b>	Store at -20°C for 12 months.
<b>Note</b>	For research use only.
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Purity</b>	Purified by Protein A.
<b>Uniprot ID</b>	<b>D3ZCH9</b>
<b>Entrez</b>	<b>499099</b>
<b>Dilution Range</b>	WB: 1:300-1000, IHC-P: 1:200-400

