

## Product Datasheet

# CHICKEN IgG F(ab')<sub>2</sub> (RABBIT) Antibody Fluorescein Conjugated GRP2837

|                            |                                                                                                                                                                                                                                                       |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Description</b>         | Anti-CHICKEN IgG F(ab') <sub>2</sub> (RABBIT) Antibody Fluorescein Conjugated                                                                                                                                                                         |
| <b>Species/Host</b>        | Rabbit                                                                                                                                                                                                                                                |
| <b>Conjugation</b>         | FITC                                                                                                                                                                                                                                                  |
| <b>Tested Applications</b> | FC, IF, IHC-P                                                                                                                                                                                                                                         |
| <b>Form/Appearance</b>     | 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2                                                                                                                                                                                               |
| <b>Concentration</b>       | 10.0 mg/mL                                                                                                                                                                                                                                            |
| <b>Note</b>                | For research use only.                                                                                                                                                                                                                                |
| <b>Isotype</b>             | IgG                                                                                                                                                                                                                                                   |
| <b>Clonality</b>           | Polyclonal                                                                                                                                                                                                                                            |
| <b>Source</b>              | Chicken IgG F(ab') <sub>2</sub> fragment                                                                                                                                                                                                              |
| <b>Entrez</b>              | <b>3320</b>                                                                                                                                                                                                                                           |
| <b>Dilution Range</b>      | FLISA: 1:10,000 - 1:50,000, Flow Cytometry: 1:500 - 1:2,500, Fluorochrome: 2.3, IF Microscopy: 1:1,000 - 1:5,000                                                                                                                                      |
| <b>Application Notes</b>   | Suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity. |